Your solution to a more effective, less invasive microdiscectomy.

The SpineJet[®] Micro 3.8 System

What is HydroDiscectomy?

HydroDiscectomy utilizes the SpineJet[®] Micro 3.8 System to remove disc material with precisely controlled high pressure water through a cannulated system.







Your solution to recurrent radicular pain

The SpineJet Micro 3.8 System

The SpineJet Micro 3.8 System uses high velocity water to pulverize the disc material and remove tissue through an evacuation tube in a controlled and safe manner.

The SpineJet Micro 3.8 System allows the surgeon to remove disc material precisely. The surgeon has complete control over how much or how little disc material is removed. This allows the decompression to be performed efficiently.

The cannulated system has been designed to protect the nerve root and minimize the residual annular defect after decompression. The working cannula diameter is only 4.0mm and it is inserted into the disc space over a dilator rather than cutting the annular fibers. After decompression, when the cannula is removed, the elasticity of the annular fibers shrinks the annulotomy. These factors contribute to minimizing the annulotomy thereby potentially decreasing the rate of recurrent herniations.

Performing the HydroDiscectomy through a cannula minimizes intraoperative nerve root manipulation. This can decrease the amount of post-operative epidural fibrosis associated with recurrent radicular pain in the absence of recurrent herniation.

SpineJet Micro 3.8 Handpiece

The SpineJet Hydrosurgery System



Microdiscectomy Preparation





Feature	Advantage	Benefit
Fluid-Jet	 Removes precise amount of nucleus to decompress the nerve root 	Effective
	 Power driven device allows the surgeon to control the quantity of disc material removed 	Efficient
	 Simultaneously cuts and aspirates nucleus reducing procedural time 	Efficient
	 Compatible with most retractor systems 	Efficient
	 Significantly reduces instru- ment passes by nerve root 	Safe Efficient
	 Instrument insertion depth measured by 1cm laser markings 	Safe
	 Excellent visualization of vital structures achieved by bayonet design 	Safe
Cannula	 Beveled tip protects nerve root without retraction 	Safe
	 Minimizes nerve root manipulation decreasing risk of post-operative radicular pain secondary to neurofibrosis 	Safe Effective
	 Smaller dilated annu- lotomy reduces risk of reherniation 	Safe Effective
	 Tactile depth indicator controls the precise depth of insertion 	Safe
Dilator	 Produces minimal residual annular defect reducing risk of reherniation 	Effective

"The SpineJet Micro 3.8 System reduced my reherniation rate and recurrent radicular pain in my high demand, active patient population."

> Mitchell A. Hardenbrook, M.D.* Orthopedic Spine Surgeon Boston Spine Group - Boston, MA





Microdiscectomy

"HydroDiscectomy allows me to perform a more precise and less invasive microdiscectomy procedure with minimal nerve root retraction. I believe the small size of the annulotomy will lead to quicker patient recovery and better outcomes with minimal chance of reherniation."

> Richard E. Nussbaum, M.D. Orthopedic Surgeon Los Angeles Orthopedic Institute, Los Angeles, CA

HydroCision Microdiscectomy New SpineJet Micro 3.8	V	S.	Conventional Microdiscectomy
Safe, 2 passes [†] Cannula provides nerve root protection without retraction			Many passes Requires nerve root retractor
Fast, 2 minute discectomy Saves approximately 17 minutes when compared to conventional microdiscectomy ^{tt}			~19 minute discectomy
4.0mm dilated annulotomy Smaller residual defect is associated with a decreased reherniation rate ⁺⁺⁺			~6+mm annulotomy
New Technology 2006 Medical Design Excellence Award Winner			Old Technology

Ordering Information

SpineJet Micro 3.8 Handpiece

Description	Catalog No.			
SpineJet Micro 3.8 Handpie (disposable, supplied sterile)	ece 52320			
HydroDiscectomy Access Sets (reusable, supplied non-sterile)				
Description	Catalog No.			
4.0 HydroDiscectomy Access Cannula Set (Includes tray, needle, dilator, dilator knob and cannula)	56971			
Individual Kit Components (reusable, supplied non-sterile)	5			
Needle, 20.5 cm (8 inch)	51739			
Dilator	51740			
Dilator Knob	52012			
Cannula	52005			
Tray	51786			
HydroDrive Console (Console includes Foot Pedal and Power Cord)	52700			

HydroDiscectomy Access Cannula Set



*Former Director of Spine Surgery, Bone & Joint Institute, Naval Medical Center, Portsmouth, VA The opinions expressed represent the personal views of the author and do not necessarily represent the views of the

Department of the Navy and Department of Defense. ""Pass" refers to a single insertion of an instrument through the surgical site. "Data on file. ""Carragee et al. JBJS, 2003

HydroCision, SpineJet, and The Leader in Hydrosurgery are registered trademarks of HydroCision, Inc. @2004-2006. All rights reserved. Patent Nos. 6,216,573, 5,944,686, 6,375,635, 6,960,182, 7,122,017, 6,923,792 other foreign and domestic patents are pending.

1000-2462 Rev A 5-08 05/08 TG-9713

HydroCision Customer Care Line 888,747,4470

Call Toll Free for Product Support

267 Boston Road, Suite 28 North Billerica, MA 01862-2336 Tel. 888.747.4470 Fax 978.600.5058

Email: info@hydrocision.com www.hydrocision.com

